

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	105	((command adj line adj interface) or (CLI)) near5 (advantage or benefit)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:23
L6	6	I5 and (router and server)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:26
L9	17	CLI near router	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 12:22
L10	145	CLI near5 server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:51
L11	121	I10 and command	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:52
L12	11	I10 and ((issu\$3 or send\$3) near command) near server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:54
L13	14	I10 and ((issu\$3 or send\$3) near (request\$3 or query\$3)) near server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:57
L14	72	(invok\$3) near4 (CLI or (command adj line adj interface))	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 11:57
L15	8	I14 same server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 12:00
L16	28	CLI near10 (query\$3 or request) near4 server	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 12:01

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S216	4	(address) near (xml) near (tag or format)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:37
S217	2	((IP or numeric) near address) near4 (xml or self\$1descri\$7 or descriptive) near (tag or format)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:05
S218	6	((data) near4 (xml or self\$1descri\$7 or descriptive) near (tag or format)) same ((IP or numeric) near address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:34
S219	1493	((type or information or kind or function)near4 (output or data or content or packet)) near5 ((select\$3 or identif\$3) near4 server)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:36
S220	10	router near4 (output\$3 or send\$3 or transmit\$4 or forward\$3) near4 (output or data or information or packet or content) near4 (((format or self) near3 descri\$7)or xml or(tag\$3 near4 (format or descri\$7)))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:42
S222	9	router near3 (output\$3 or send\$3 or transmit\$4 or forward\$3) near10 (information or stream or packet or data or output) near10 (xml or sgml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:49
S223	15	router near10 (output\$3 or send\$3 or transmit\$4 or forward\$3) near10 (information or stream or packet or data or output) near10 (xml or sgml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 09:49
S227	4064	(encod\$4 or format\$ or transform\$3) near4 (output or data or information or packet) near4 (xml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 10:03
S228	541	rout\$3 near4 (content or data or information or output) near4 ((based or function) near (content or type or kind))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 10:03
S230	34	((IP or numeric) near address) near4 (xml or ((xml or self\$1descri\$7 or descriptive) near (tag or format)))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:06
S234	229	((descriptive or describe or describing)near format) same (xml or sgml or (mark near3 language))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:08
S236	432	(xml or sgml or (mark near3 language)) same ((numeric or IP) near address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:09

S23 9	921	router near3 (output\$3 or send\$3 or transmit\$5 or forward\$3) near3 (address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:29
S24 2	1844	router near5 (output\$3 or send\$3 or transmit\$5 or forward\$3) near5 (address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:21
S24 3	38	address near (xml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:20
S25 0	311	((send\$ or transmit\$4) near4 ((numeric or ip) near address)) same S242	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:25
S25 1	3	((xml) or sgml or (mark near language) or (self\$1descri\$7)) and S250	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:25
S25 2	9	router near3 (output\$3 or send\$3 or transmit\$5 or forward\$3) near3 (xml)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:40
S25 5	440	(resolv\$3 or transform\$3 or chang\$3) near3 ((IP or numeric) adj address) near3 (((symbolic or human) near name) or name)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:55
S25 7	166	(resolv\$3 or transform\$3 or chang\$3) near3 ((IP or numeric) adj address) adj5 (((symbolic or human) near name) or name)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:57
S25 9	3	((select\$3 or choos\$3 or identif\$4) near4 (server) near5 (type or function) near5 (content or data or information)) and S257	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 12:56
S26 1	2	S260 and ((select\$3 or choos\$3 or identif\$4) near4 (server) near5 (type or function) near5 (content or data or information))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:03
S26 2	52731	((transform\$3 or translat\$3 or chang\$3 or resolving) near3 ((IP or numeric\$3) address address))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:04
S26 3	1088	((locat\$3 or identify\$3) near3 (server or system or host or dns)) same S262	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:08
S26 4	9	((human or symbolic or easy) near5 (name)) same S263	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:08

S26 5	318	((locat\$3 or identify\$3 or find\$3) near3 (server)) same S262	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/09 13:08
S26 6	6	((human or symbolic or easy) near5 (name)) same S265	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/10 09:52
S26 9	141	(reverse adj dns) or (reverse adj3 name adj3 look)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/10 10:29
S27 0	498	(reverse adj dns) or (reverse adj3 name adj3 look) or (reverse adj DNS adj lookup) or (reverse adj domain) (revese near3 (name near service))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/10 10:31
S27 3	33	((IP or numeric) adj address) same ((locat\$3 or search\$3 or discover\$3 or find\$3 or obtain\$3) near4 (owner))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 14:24
S31 2	96027	(interface) same ((receiv\$3) near3 command) (process\$3 or invoke) near5 command	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 16:31
S31 3	1460	(quer\$4 or ((send\$3 or transmit\$4) near4 (request or query))) near4 (dns or (name adj server) or (domain adj4 server))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 16:30
S31 5	107	(interface or module) same (command adj line) same ((receiv\$3) near3 command) same((process\$3 or invoke) near5 command)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 16:37
S32 2	32	polic\$ near4 (associat\$3 or relat\$3 or identif\$3) near4((numeric or mac or ip) adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 17:52
S32 3	2	(rout\$3 near4 polic\$3) near4 (associat\$3 or relat\$3 or identif\$3) near4((numeric or mac or ip) adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 17:53
S32 4	9	(receiv\$3 or obtain\$3) near4 (policy) near4 ((numeric or mac or ip) adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 18:01
S32 6	5	(user or client) near4 (receiv\$3 or obtain\$3 or view\$3) near4 (rout\$3 adj policy)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 18:03
S32 7	33	(receiv\$3 or obtain\$3 or view\$3 or display) near4 (rout\$3 adj policy)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 18:04

S328	60	(quer\$3)near4 (policy adj (database or server))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/11 18:04
S339	154	(show or list) near10 (peer or neighbors) near10 (device or router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 17:06
S340	83	S339 and (IP adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 10:37
S341	46	(show or display) near4 (user) near4 (peer)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 10:39
S343	130	(identif\$4 or locat\$4 or search\$3 or find\$3) near20 (peer) near20 ((IP or numeric) adj (address))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 10:43
S344	72	(identif\$4 or locat\$4 or search\$3 or find\$3) adj10 (peer) near20 ((IP or numeric) adj (address))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:06
S345	40	(display\$3)near4 (peer) near4 (network or device or computer or elements)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:09
S350	0	(etriev\$3)near4 (peer) near4 (network or device or computer or elements)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:10
S351	83	(retriev\$3)near4 (peer) near4 (network or device or computer or elements)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:10
S353	5	(S345 or S351) same (IP adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:16
S354	510	(list\$3 or group\$3 or table) near4 (peer) near4 (network or device or computers or elements)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:20
S355	35	S354 same (IP adj address\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 11:30
S363	47037	(receiv\$3) near4 (request or command) near4 (client or user or terminal)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:52
S364	142760	(process\$5) near4 (request or command)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:55

S36 5	85	((send\$3 or transmit\$3) near4 (ouput))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:53
S36 6	961	((open adj shortest adj path adj first) or (OSPF)) same router)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:55
S36 7	1678	((process\$5) near4 (request or command)) same router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:55
S36 8	37474	(locat\$ or query\$) near4 server	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:56
S36 9	1253	S368 same router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 13:56
S37 0	19	S366 and S367 and S369	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 15:14
S37 1	28	(firewall adj filter) same router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 15:40
S37 3	2	S356 and (secur\$4 or firewall or block\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 15:18
S37 5	4	router same chasis	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:36
S37 6	743	router same (device near4 configurat\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 15:41
S37 8	91	(monitor\$4) near10 (router) near10 (components or inventory)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:38
S38 0	424	router same chassis	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:39
S38 3	2623	chassis near10 (infentory or status)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:42
S38 4	4295	(configur\$4) near10 router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:58

S38 8	2731	chassis near10 (inventory or status)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:42
S38 9	5	S388 same router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:46
S39 0	165	(monitor\$3 or evaluat\$3) near10 (router) near10 (physical or hardware or components or inventory or chassis)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:48
S39 1	277	(configur\$4 or defin\$3) near10 router near10 (hardware or physical)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:58
S39 2	94	(configur\$4 or defin\$3) near3 router near3 (hardware or physical)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:58
S39 3	76	(configur\$4 or defin\$3) near3 router near3 (inventory or physical)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 16:59
S39 5	493	(user or client or administrator) near4 (view or control or configur\$7) near4 router	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 17:05
S39 6	251	S395 and (inventory or status)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 17:06
S39 7	18	S395 same (inventory or status)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/12 17:06
S39 9	2878	chassis near (module or component)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:34
S40 0	19454	configuration near (module or component)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:35
S40 2	264	(router adj protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:35
S40 5	160	S399 and S400	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:36
S40 6	46	S405 and router	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/12 17:36
S40 7	10	S406 and xml	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 09:17